



**TDI Compliance
Seaward Area**

STEEL BUILDINGS • P.O. Box 75280 • Houston, TX 77234-5280
(713) 946-7140 • Toll Free (800) 324-9992 • Fax (832) 553-4600
www.whirlwindsteel.com



PAGE _____ OF _____

JOB NO. _____

The building(s) for this project is located in Texas Department of Insurance (TDI) Seaward area.

Section **1609.1.4 Protection of openings** as adopted by TDI requires all exterior openings in the lower 60 feet in buildings shall be impact resistant or protected with an impact-resistant covering. Exterior openings shall include exterior windows, exterior doors, garage doors, and skylights. Exterior opening protection for windborne debris shall meet the requirements of an approved impact-resisting standard or ASTM E 1996 and of ASTM E 1886 referenced therein as follows:

1. Exterior openings located within 30 feet of grade shall meet the requirements of the Large Missile Test of ASTM E 1996.
2. Exterior openings located more than 30 feet above grade shall meet the provisions of the Small Missile Test of ASTM E 1996.

The products for exterior openings shall be installed in accordance with the manufacturer's installation instructions for the manner in which they were tested for uniform static wind pressure resistance and for windborne debris resistance.

By my signature, I certify that all exterior openings provided for this project shall comply with the above TDI requirements.

Signature

Date